

All eyes on Proxima Centauri b

Adam Mann, *Science Writer*

An Earth-sized planet next door: that was the startling announcement last August. Astronomers had found an exoplanet orbiting the sun's closest stellar neighbor, a cool red dwarf star called Proxima Centauri (1). Even better, the nearby world orbited within its parent star's habitable zone, meaning liquid water could exist on the planet's surface, which raised the prospects for its harboring life.


But aside from its mass—at least 1.3 times that of Earth's—and the length of its year—a zippy 11 days—little was known about the new exoplanet, called Proxima Centauri b. Almost immediately, a rush of papers appeared, presenting ways to estimate Proxima b's temperature, atmospheric composition and thickness, and even whether a worldwide ocean spans its surface. The proposed methods are extraordinarily tricky, pushing the boundary of what's possible.

"This planet is so good, so optimum, and so close to us, that using state-of-the-art technology we [can] demonstrate that it's not science fiction to do these

observations," says astronomer Christophe Lovis of the University of Geneva in Switzerland. With two recently discovered systems garnering ample headlines—the potentially habitable planets near the star TRAPPIST-1 and a super-Earth orbiting the red dwarf LHS 1140—Proxima b offers a test case for how astronomers might take the first steps toward closer inspection of planets that seem to be prime candidates for life (2, 3).

In the future, enormous ground-based telescopes and specially designed space-based ones will allow astronomers to image exoplanets like Proxima b directly, providing unparalleled information about them. And with the world a mere 4.25 light-years from Earth, a few dreamers are starting to think bigger. A project called Breakthrough Starshot hopes to figure out if it is possible to accelerate a flotilla of extremely small satellites to one-fifth the speed of light and reach the Proxima Centauri system in only a couple of decades.

"You see the stars at night and wonder if we can visit them," says theoretical physicist Abraham Loeb of the



Proxima b, shown here in an artist's conception orbiting the red dwarf star Proxima Centauri, may prove to be a test case for how astronomers conduct initial inspections of potentially habitable planets. Original image courtesy of ESO/M. Kornmesser; retouched version courtesy of Wikimedia Commons/Karl 432.

Harvard-Smithsonian Center for Astrophysics in Cambridge, Massachusetts. "This could be the next major leap forward; not just visiting a place like Mars or the moon, but doing something that is quite extraordinary."

In Our Sights

Part of a triple star system—along with the larger, yellow, sun-like twins Alpha Centauri A and B—Proxima and its kin have been subject to intensive exoplanet searches ever since astronomers have had the capability to do so. But Proxima Centauri is particularly finicky for these kinds of investigations. As a red dwarf, it is much more active than stars like our sun, throwing off energetic stellar flares that can interfere with astronomers' readings. "You're trying to look for little blips around the star but it's like someone's got ahold of the dimmer switch and they're playing around with it," says astronomer David Kipping of Columbia University in New York.

A team led by astronomer Guillem Anglada-Escudé, of the Queen Mary University of London in England, was able to spot Proxima b by running an algorithm on several years' worth of archival data from the Very Large Telescope (VLT) and the High Accuracy Radial velocity Planet Searcher (HARPS) instrument at the La Silla Observatory, both of which are overseen by the European Southern Observatory in Chile. The analysis yielded compelling clues for a planet, which the researchers then followed up on with a rigorous months-long observational campaign in early 2016. The astronomers spotted a tiny periodic wobble in the light from Proxima Centauri, indicating that a planet was tugging gravitationally on the star. Though some astronomers were initially skeptical, the data were robust enough to win over critics.

"I heard about this potentially habitable planet through the press and said 'Yeah, yeah, sure,'" says astrophysicist Laura Kreidberg of Harvard University in Cambridge, Massachusetts. "And then I saw the paper and said, 'Oh wow, this is actually legit.'"

Soon thereafter, Kreidberg published a paper with Loeb on how to answer one of the first important follow-up questions for Proxima b: whether it has an atmosphere (4). During the first billion or so years of their lives, red dwarf stars shine far brighter in UV and X-ray radiation than they do later on, blasting any orbiting planets. Furthermore, a planet like Proxima b is so close to its parent star that it is likely to be tidally locked, meaning one side is always turned to the burning sun while the other faces the darkness of space. Combined with the excessive flaring problem, this increases the chances that atmospheres of these sorts of rocky worlds can burn off long before life can develop.

Astronomical Answers

The upcoming James Webb Space Telescope (JWST), scheduled to launch next year, could test Proxima b's atmospheric retention abilities. As the exoplanet orbits, viewers on Earth will see different parts of it illuminated, much like the moon changing phases in the night sky. JWST's infrared capabilities will be able to capture the combined thermal emission from both the

star and planet, which should vary sinusoidally as the little world goes through phases during its 11-day orbit.

An airless body will show wild temperature swings; the sunlit side of the moon can reach 117 °C, whereas its dark side remains at -179 °C. In contrast, an atmosphere will efficiently move heat around: day-night temperature differences on our planet can be as little as a few degrees. The signal would be a good proxy for atmospheric thickness; a tenuous Mars-like atmosphere wouldn't redistribute heat as well as a denser Earth-like one.

Like any world, Proxima b is reflective. As starlight bounces off its surface, it could pass through a hypothetical atmosphere, imparting information about the gases present. The trouble is that Proxima Centauri is about 10 million times brighter than its planetary companion, so the planet's reflected light is completely washed out in the star's glare. Working with astronomer Ignas Snellen, of the University of Leiden in the Netherlands, Lovis came up with the idea of using a two-part system at the VLT to tease out Proxima b's secrets (5).

First, the researchers will use a sophisticated adaptive optics instrument called Spectro-Polarimetric High-

"You're trying to look for little blips around the star but it's like someone's got ahold of the dimmer switch and they're playing around with it."

—David Kipping

contrast Exoplanet Research (SPHERE), which corrects for the turbulence in Earth's atmosphere that blurs telescopic images, creating a much clearer picture of the star and planet together. "Instead of having a planet that's 10 million times fainter, we will have a planet that's 1,000 times fainter," says Lovis. "Which is still 1,000 times, but it's already much better."

The data will then be passed through the Echelle SPectrograph for Rocky Exoplanet and Stable Spectroscopic Observations (ESPRESSO) instrument, which can disentangle the planet's light from the star's using an ingenious trick. When a body emitting radiation moves, the radiation's wavelength will grow longer as it travels away from an observer and shorter as it comes closer, an effect known as a Doppler shift. Although the starlight from Proxima Centauri will remain constant, the reflected light from Proxima b will get ever-so-slightly Doppler-shifted as it travels through its orbit, an effect that ESPRESSO can detect to unravel the two light effects from one another and hence provide astronomers a peek at the planet's molecular make-up. Biosignature molecules, such as oxygen and water vapor, would make for exciting findings.

The technique could also capture small changes in reflectivity as the planet rotates. An ocean on Proxima b would act like a mirror, creating a bright glint that

