

Coastal marine eutrophication: Control of both nitrogen and phosphorus is necessary

Whole-lake experiments by Schindler and others since 1971 have conclusively shown that phosphorus is the major cause of eutrophication in freshwater lakes (1). In response, in the 1970s governments began to reduce phosphorus inputs, and water quality in many lakes improved dramatically. However, eutrophication has increased in many coastal marine ecosystems since the 1970s, including the Chesapeake Bay, Long Island Sound, and the Gulf of Mexico “Dead Zone.” Why? Nitrogen contributes to eutrophication in these ecosystems, and nitrogen pollution has grown tremendously since the 1970s (2, 3).

Unfortunately, Schindler *et al.* (1) generalize their lake results to estuarine and coastal ecosystems, suggesting that the controls on eutrophication in lakes and coastal waters are the same. If this is true, reducing nitrogen in coastal systems could cause blooms of nitrogen-fixing cyanobacteria, as occurs in many lakes. Substantial research over 2 decades demonstrates that this premise is wrong, and in most estuaries and coastal waters worldwide with salinities exceeding 6–8‰, planktonic, nitrogen-fixing cyanobacteria do not occur because their growth is controlled by factors other than phosphorus supply (2–4). At least 1 of these other controls

(grazing) apparently is relaxed in offshore waters such as the Mid-Pacific Gyre in which *Trichodesmium* fixes significant quantities of nitrogen. But the nitrogen fixers are missing from most estuaries and coastal seas.

For decades, governments relied on phosphorus controls alone to solve coastal eutrophication. That experiment failed, and a strong consensus of estuarine and coastal scientists has for more than a decade stated the need to control both nitrogen and phosphorus (2, 3, 5).

Robert Howarth^{a,1} and Hans W. Paerl^b

^aDepartment of Ecology and Evolutionary Biology, Cornell University, Ithaca, NY 14853; and ^bUniversity of North Carolina at Chapel Hill, Institute of Marine Sciences, 3431 Arendell Street, Morehead City, NC 28557

1. Schindler DW, *et al.* (2008) Eutrophication of lakes cannot be controlled by reducing nitrogen input: Results of a 37-year whole-ecosystem experiment. *Proc Natl Acad Sci USA* 105:11254–11258.
2. National Research Council (2000) *Clean Coastal Waters: Understanding and Reducing the Effects of Nutrient Pollution* (Natl Acad Press, Washington, DC).
3. Howarth RW, Marino R (2006) Nitrogen as the limiting nutrient for eutrophication in coastal marine ecosystems: Evolving views over three decades. *Limnol Oceanogr* 51:364–376.
4. Paerl HW (1996) A comparison of cyanobacterial bloom dynamics in freshwater, estuarine and marine environments. *Phycologia* 35:25–35.
5. Environmental Protection Agency (2008) *Hypoxia in the Northern Gulf of Mexico: An Update by the EPA Science Advisory Board* (Report EPA-SAB-08-003, U.S. Environmental Protection Agency, Washington, DC).

Author contributions: R.H. and H.W.P. wrote the paper.

The authors declare no conflict of interest.

¹To whom correspondence should be addressed. E-mail: howarth@cornell.edu.

© 2008 by The National Academy of Sciences of the USA